

Safety Data Sheet



17 Shepard Street • Lawrence, MA 01843 USA +1.978.683.9411

www.keypolymer.com

Issue Date 02-Jun-2015 Revision Date 02-Jun-2015

Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name KEY EC1055A

Other Means of Identification

Product Code EC1055A

Document Floor Restore Part A

None

Epoxy A side. FOR INDUSTRIAL USE ONLY.

Restrictions on use: Do not use this product for any use other than intended

Manufacturer Address Key Polymer Corporation 17 Shepard Street Lawrence, MA 01843, USA

Company Phone Number 978-683-9411 (8AM - 5PM EST) (M-F) Emergency Telephone Chemtrec 1-800-424-9300 (24 Hours)

Chemtrec International Phone +1 703-527-3887

2. Hazards Identification

Classification

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS). This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

EMERGENCY OVERVIEW

WARNING

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Appearance Clear Colorless

Physical State Liquid

Odor Mild

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection, face protection

Avoid breathing dust, fumes, or vapors

Contaminated work clothing should not be allowed out of the workplace

Wear respiratory protection if material is heated, sprayed, used in a confined space, orif the exposure limit is exceeded.

Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/international regulations

Hazards Not Otherwise Classified (HNOC)

Other Information

Toxic to aquatic life with long lasting effects

13.30244% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Chemical Name	CAS No	Weight-%	Trade secret
Bisphenol A diglycidyl ether resin	25068-38-6	70 - 80	*
Proprietary epoxy resin	Proprietary	5 - 10	*

^{*} The exact percentage (concentration) of composition may have been withheld as a trade secret.

4. First Aid Measures

FIRST AID MEASURES

General Advice Use first aid treatment according to the nature of the injury. For further assistance, contact

your local Poison Control Center. In case of accident or unwellness, seek medical advice

immediately (show directions for use or safety data sheet if possible).

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion Not an expected route of exposure. If swallowed, do not induce vomiting: seek medical

advice immediately and show this container or label.

Self-Protection of the First Aider First Aider: Pay attention to self-protection. Use personal protective equipment as required.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. Fire-Fighting Measures

Suitable Extinguishing Media

Use CO2, dry chemical, or foam

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising From the Chemical

Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water ways. Dike for water control.

Hazardous Combustion Products

Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See Section 10 Hazardous Decomposition Products for additional information.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas. Extremely slippery when spilled.

Other Information Use personal protective equipment as required.

For Emergency Responders Use personal protective equipment as required.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information. Do not allow into any sewer, on the

ground or into any body of water.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store and handle

away from heat, flames and oxidizing materials.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases. Halogens. Chlorinated compounds.

8. Exposure Controls/Personal Protection

Control Parameters

Exposure Guidelines Independent laboratory test results confirm that exposure to chemical hazards are well

below the OSHA permissible exposure limits when this product is used as recommended.

Appropriate Engineering Controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual Protection Measures, Such As Personal Protective Equipment

Eye/Face Protection Splash Goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

CC (closed cup)

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Clear

AppearanceClearOdorMild

Color Colorless Odor Threshold No information available

PropertyValuesRemarks • MethodpHNo information available

Melting Point/Freezing Point

Boiling Point/Boiling Range

No information available > 148 °C

Flash Point > 141 °C
Evaporation Rate Slower than n-butyl acetate

Flammability (Solid, Gas)
Flammability Limits in Air
Upper Flammability Limits

Lower Flammability Limit

No information available
No information available

No information available

Vapor Pressure No information available

Vapor Density Heavier than air

Specific Gravity 1.171 Water Solubility Negligible

Solubility in Other Solvents No information available **Partition Coefficient** No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** 2000 cps @ 25°C **Explosive Properties** Not an explosive **Oxidizing Properties** No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)
Density
Bulk Density
No information available
No information available
No information available
9.75 pounds/gallon
No information available

10. Stability and Reactivity

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

hazardous polymerization None under normal processing.

Conditions to Avoid

Keep out of reach of children. Extremes of temperature and direct sunlight. Mixture with or exposure to incompatible materials.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases. Halogens. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides. Aldehydes. Formaldehyde. Silicon dioxide. Hydrocarbons. May emit toxic fumes under fire conditions.

11. Toxicological Information

Information on Likely Routes of Exposure

Product Information Independent laboratory test results confirm that exposure to chemical hazards are well

below the OSHA permissible exposure limits when this product is used as recommended.

Inhalation Remove to fresh air. May cause irritation of respiratory tract.

Eye Contact Irritating to eyes. Avoid contact with eyes. Vapor may cause irritation.

Skin Contact Avoid contact with skin. Irritating to skin. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

	The same of the sa			
Chemical Name	Oral LD50 (Rat)	Dermal LD50 (Rabbit)	Inhalation LC50	
Bisphenol A diglycidyl ether resin 25068-38-6	= 11400 mg/kg (Rat)	-	-	
Proprietary epoxy resin	= 4500 mg/kg (Rat)	-	-	

Information on toxicological effects

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Repeated or prolonged contact may cause skin irritation and dermatitis.

Serious eye damage/eye irritation Irritating to eyes.

Irritating to eyes, respiratory system and skin.

Irritation Sensitization May cause sensitization by skin contact. Repeated or prolonged contact may cause allergic

reactions in very susceptible persons.

Germ Cell Mutagenicity None known.

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, Carcinogenicity

IARC or NTP.

This product does not contain any known or suspected reproductive hazards. **Reproductive Toxicity**

STOT - Single Exposure No information available. **STOT - Repeated Exposure** No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons.

Aspiration Hazard No information available.

Numerical Measures of Toxicity - Product Information

Unknown Acute Toxicity 13.30244% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10264 mg/kg

12. Ecological Information

Ecotoxicity

No information available

19.95546531% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available

Other Adverse Effects

No information available

13. Disposal Considerations

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information

DOT Not regulated

ICAO (air)

UN/ID no UN3082

Environmentally Hazardous Substance N.O.S. (Bisphenol A epoxy resin) **Proper Shipping Name**

Hazard Class 9
Packing group III

Special Provisions A197 - Not restricted provided that the net quantity in any receptacle does not exceed 5 Kg

or 5 L and the packaging meets defined standards

IATA

UN/ID no UN3082

Proper Shipping Name Environmentally Hazardous substance Liquid N.O.S. (Bisphenol A epoxy resin)

Hazard Class 9
Packing group III

Special Provisions A197 - Not restricted provided that the net quantity in any receptacle does not exceed 5 Kg

or 5 L and the packaging meets defined standards

IMDG

UN/ID no UN3082

Proper Shipping Name Environmentally Hazardous Substance Liquid N.O.S. (Bisphenol A epoxy resin)

Hazard Class 9
Packing group III

EmS-No IMDG code 2.9.3

Special Provisions A197 - Not restricted provided that the net quantity in any receptacle does not exceed 5 Kg

or 5 L and the packaging meets defined standards

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

15. Regulatory Information

International Inventories

TSCA All components of this product are either exempt or included on the TSCA Inventory in

compliance with the Toxic Substances Control Act.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

The following chemicals may be contained in this product in de minimis amounts not required for listing in section 3. However, these chemicals do appear on some state Right-to-Know (RTK) and/or other hazardous substance lists. Please check your state's listings for more information.

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Glycidyl phenyl ether - 122-60-1	Carcinogen	
	Male Reproductive	

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other Information							

HMIS Health Hazards 2 Flammability 1 Physical Hazards 0 Personal Protection X

Prepared by Key Polymer Corp Compliance

 Issue Date
 02-Jun-2015

 Revision Date
 02-Jun-2015

Revision note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet