FP100B

HMIS CODES:

PRODUCT NAME: FP100B TRADE NAME: EPOXY CRACK FILLER

TRADE NAME: EPOXY CRACK FILLER	0 = NONE 4 = EXTREME HEALTH : 3 CHRONIC INDICATOR: FIRE : 1 REACTIVITY: 0 PERSONAL PROTECTION: B
======================================	
MANUFACTURER'S NAME: Key Polymer CorporationADDRESS: 17 Shepard St. Lawrence, Ma. 01843	
CHEMTREC EMERGENCY PHONE: (800) 424-9300 INFORMATION PHONE : (978) 683-9411 CHEMTREC INTERNATIONAL PHONE: (703) 527-388	
======================================	
======================================	
	VAPOR PRESSURE WEIGHT CAS NUMBER mm Hg @ TEMP PERCENT
AMINE MIXTURE TRIS 2,4,6 (DIMETHYLAMINOETHYL) PHENOL	MIXTURE NO DATA NO DATA 15 to 50 90-72-2 1.0 to 5.0
SARA 313: No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.	
======================================	
APPEARANCE AND ODOR: Light Brown Paste Am: SOLIDS IN WEIGHT %: 93	ine odor
WEIGHT PER GALLON: 10. lb/gl SPE BOILING RANGE: >300øF EVAPORATION RATE: Slower than n-butyl aceta VAPOR DENSITY: Heavier than air	
======================================	
OSHA FLAMMABILITY CLASS: Not regulated, Class IIIB FLASH POINT: >200øF METHOD USED: No Data FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER (LEL): No Data UPPER (UEL): No Data	
EXTINGUISHING MEDIA: Foam, Carbon Dioxide or Dry Chemical	
SPECIAL FIREFIGHTING PROCEDURES: Wear positive pressure self-contained NOISH approved breathing equipment.	
UNUSUAL FIRE AND EXPLOSION HAZARDS: Sealed container may rupture. Keep cool with water.	

FP100B

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Mixture with or exposure to incompatible materials (see below.)

## INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents Strong acids

HAZARDOUS DECOMPOSITION BYPRODUCTS: Carbon monoxide Carbon dioxide Aldehydes Oxides of nitrogen Oxides of sulfur Hydrogen sulfide Various hydrocarbons

HEALTH HAZARDS (ACUTE AND CHRONIC): Liquid contact with eyes or skin may cause irritation. Vapors/mists may cause eye and respiratory irritation.

EMERGENCY AND FIRST AID PROCEDURES: INHALATION: Remove to fresh air. EYE CONTACT: Flush with water for 15 minutes with lids open. Seek medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash affected area with soap and water.

## CARCINOGENICS:

No carcinogenic substances as defined by IARC, NTP, or OSHA.

NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

====SECTION VII - PROCEDURES FOR SAFE HANDLING AND USE; SPILLS; DISPOSAL ======

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place** with adequate ventilation. Do not breathe vapors or mists. Do not get liquid in eyes, on skin or on clothing.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Ventilate area. Spill area will be slippery. Contain spill. Recover as much as possible for reuse. Spread commercial absorbant over remainder and place into sealed containers for disposal.

WASTE DISPOSAL METHOD: Dispose in accordance with local, state and federal regulations. Most states prohibit disposal of liquids in landfills.

**OTHER PRECAUTIONS: As with all chemicals, good industrial hygiene and proper** work habits should be observed.

FP100B

==== SECTION VIII - PERSONAL PROTECTION RECOMMENDATIONS =====

**RESPIRATORY PROTECTION: For confined areas or areas with poor ventilation, use an** organic vapors cartridge type respirator. Avoid inhaling the vapors in the headspace of containers.

**VENTILATION:** Mechanically exhaust vapors at point(s) of application. If applicable, maintain airborne contaminant levels of chemicals below their recommended TLV's. (See section II)

PROTECTIVE GLOVES: Impervious.

EYE PROTECTION: Splash Goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: No Data

WORK/HYGIENIC PRACTICES: Wash thoroughly before eating or smoking.

It is a violation of federal law to use this product in a manner inconsistent with its labeling. The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Since the use of this information, these opinions and the conditions of use of the product are not within the control of the Key Polymer Company, it is the user's obligation to determine the conditions of safe use of the product.

TSCA: Unless listed elsewhere in this section, all components of this product are listed on the TSCA Inventory or are exempt.